

- Bonilla, M.G., Mark, R.K., and Lienkaemper, J.J., 1984, Statistical relations among earthquake magnitude, surface rupture length, and surface fault displacement: *Bulletin of the Seismological Society of America*, v. 74, no. 6, p. 2379-2411.
- Brummer, J.E., and McCalpin, J.P., 1990, Geologic map of the Richmond quadrangle, Cache County, Utah: *Utah Geological and Mineral Survey Open-File Report 174*, 45 p., scale 1:24,000.
- Crittenden, M.D., Jr., 1963, New data on the isostatic deformation of Lake Bonneville: *U.S. Geological Survey Professional Paper 454-E*, p. E1-E31.
- Currey, D.R., 1982, Lake Bonneville--Selected features of relevance to neotectonic analysis: *U.S. Geological Survey Open-File Report 82-1070*, 30 p., scale 1:1,000,000.
- Currey, D.R., and Oviatt, C.G., 1985, Durations, average rates, and probable causes of Lake Bonneville expansion, still-stands, and contractions during the last deep-lake cycle, 32,000 to 10,000 years ago, *in* Kay, P.A., and Diaz, H.F., editors, *Problems of and prospects for predicting Great Salt Lake levels--Proceedings of a National Oceanic and Atmospheric Administration Conference, March 26-28, 1985*: Salt Lake City, University of Utah, Center for Public Affairs and Administration, p. 9-24.
- Evans, J.P., 1991, Structural setting of seismicity in northern Utah: *Utah Geological Survey Contract Report 91-15*, 37 p.
- Gilbert, G.K., 1890, Lake Bonneville: *U.S. Geological Survey Monograph 1*, 438 p.
- Haller, K.M., 1988, Segmentation of the Lemhi and Beaverhead faults, east-central Idaho, and Red Rock fault, southwest Montana, during the late Quaternary: *Boulder, University of Colorado*, M.S. thesis, 141 p.
- Hanks, T.C., and Kanamori, Hiroo, 1979, A moment magnitude scale: *Journal of Geophysical Research*, v. 84, no. B5, p. 2348-2350.
- Hanson, A.M., 1949, Geology of the southern Malad Range and vicinity in northern Utah: *Madison, University of Wisconsin*, Ph.D. dissertation, 129 p., scale 1:24,000.
- Hecker, Suzanne, 1993, Quaternary tectonics of Utah with emphasis on earthquake-hazard characterization: *Utah Geological Survey Bulletin 127*, 157 p.
- Jarrett, R.D., and Malde, H.E., 1987, Paleodischarge of the late Pleistocene Bonneville flood, Snake River, Idaho, computed from new evidence: *Geological Society of America Bulletin*, v. 99, p. 127-134.

- Kaliser, B.N., and Slosson, J.E., 1988, Geologic consequences of the 1983 wet year in Utah: Utah Geological and Mineral Survey Miscellaneous Publication 88-3, 109 p.
- Kariya, K.A., Roark, D.M., and Hanson, K.M., 1994, Hydrology of Cache Valley, Cache County, Utah, and adjacent part of Idaho, with emphasis on simulation of ground-water flow: Utah Department of Natural Resources Technical Publication 108, 120 p.
- Lund, W.R., and Black, B.D., 1998, Paleoseismic investigation at Rock Canyon, Provo segment, Wasatch fault zone, Utah County, Utah, *in* Lund, W.R., editor, Paleoseismology of Utah, Volume 8: Utah Geological Survey Special Study 93, 21 p.
- Lund, W.R., Schwartz, D.P., Mulvey, W.E., Budding, K.E., and Black, B.D., 1991, Fault behavior and earthquake recurrence on the Provo segment of the Wasatch fault zone at Mapleton, Utah County, Utah: Utah Geological and Mineral Survey Special Studies 75, 41 p.
- Machette, M.N., 1986, History of Quaternary offset and paleoseismicity along the LaJencia fault, central Rio Grande rift, New Mexico: Bulletin of the Seismological Society of America, v. 76, no. 1, p. 259-272.
- Machette, M.N., Personius, S.F., Nelson, A.R., Schwartz, D.P., and Lund, W.R., 1991, The Wasatch fault zone--Segmentation and history of Holocene earthquakes: Journal of Structural Geology, v. 13, no. 2, p. 137-149.
- Machette, M.N., Personius, S.F., and Nelson, A.R., 1992, Paleoseismology of the Wasatch fault zone--A summary of recent investigations, interpretations, and conclusions, *in* Gori, P.L., and Hays, W.W., editors, Assessment of regional earthquake hazards and risk along the Wasatch Front, Utah: U.S. Geological Survey Professional Paper 1500, p. A1-A71.
- Mason, D.B., 1992, Earthquake magnitude potential of active faults in the Intermountain seismic belt from surface parameter scaling: Salt Lake City, University of Utah, M.S. thesis, 110 p.
- Mason, D.B., and Smith, R.B., 1993, Paleoseismicity of the Intermountain seismic belt from late Quaternary faulting and parameter scaling of normal faulting earthquakes [abs]: Geological Society of America Abstracts with Programs, v. 25, no. 5, p. 115.
- McCalpin, J.P., 1989, Surficial geologic map of the East Cache fault zone, Cache County, Utah: U.S. Geological Survey Miscellaneous Field Studies Map MF-2107, scale 1:50,000.
- 1991, Techniques in paleoseismology--Short course notes from the 1991 Annual Symposium on Engineering Geology and Geotechnical Engineering: Logan, Utah State University, 103 p.

- 1994, Neotectonic deformation along the East Cache fault zone, Cache County, Utah: Utah Geological Survey Special Study 83, 37 p.
- 1996, Paleoseismology: San Diego, Academic Press, International Geophysics Series Volume 62, 588 p.
- McCalpin, J.P., and Forman, S.L., 1991, Late Quaternary faulting and thermoluminescence dating of the East Cache fault zone, north-central Utah: Bulletin of the Seismological Society of America, v. 81, no. 1, p. 139-161.
- 1994, Assessing the paleoseismic activity of the Brigham City segment, Wasatch fault zone, Utah--Site of the next major earthquake on the Wasatch Front?: Logan, Utah State University Department of Geology, Final Technical Report to the U.S. Geological Survey, National Earthquake Hazards Reduction Program Contract No. 1434-92-G-2205, 19 p.
- O'Connor, J.E., 1993, Hydrology, hydraulics, and geomorphology of the Bonneville flood: Geological Society of America Special Paper 274, 83 p.
- Ostenaar, Dean, 1984, Relationships affecting estimates of surface fault displacements based on scarp-derived colluvial deposits [abs.]: Geological Society of America Abstracts with Programs, v. 16, p. 327.
- Oviatt, C.G., 1986, Geologic map of the Cutler Dam quadrangle, Box Elder and Cache Counties, Utah: Utah Geological and Mineral Survey Map 91, 7 p. pamphlet, scale 1:24,000.
- Oviatt, C.G., Currey, D.R., and Sack, Dorothy, 1992, Radiocarbon chronology of Lake Bonneville, eastern Great Basin, USA: Palaeogeography, Palaeoclimatology, Palaeoecology, v. 99, p. 225-241.
- Personius, S.F., 1991, Paleoseismic analysis of the Wasatch fault zone at the Brigham City trench site, Brigham City, Utah, and Pole Patch trench site, Pleasant View, Utah: Utah Geological and Mineral Survey Special Studies 76, 39 p.
- Rember, W.C., and Bennett, E.H., 1979, Geologic map of the Pocatello quadrangle, Idaho: Idaho Bureau of Mines and Geology Geologic Map Series, scale 1:250,000.
- Schwartz, D.P., and Coppersmith, K.J., 1984, Fault behavior and characteristic earthquakes--Examples from the Wasatch and San Andreas fault zones: Journal of Geophysical Research, v. 89, no. B7, p. 5681-5698.
- Smith, R.B., and Arabasz, W.J., 1991, Seismicity of the Intermountain seismic belt, *in* Slemmons, D.B., Engdahl, I.R., Zoback, M.L., and Blackwell, D.D., editors, Neotectonics

- of North America: Geological Society of America Decade Map Volume 1, p. 185-228.
- Smith, R.B., and Sbar, M.L., 1974, Contemporary tectonics and seismicity of the western United States with emphasis on the Intermountain seismic belt: Bulletin of the Geological Society of America, v. 85, p. 1205-1218.
- Solomon, B.J., 1997, Surficial geologic map of the West Cache fault zone and nearby faults, Box Elder and Cache Counties, Utah: Salt Lake City, Utah Geological Survey, National Earthquake Hazard Reduction Program Final Technical Report, award no. 1434-95-G-2631, 40 p., scale 1:50,000.
- Stokes, W.L., 1977, Physiographic subdivisions of Utah: Utah Geological and Mineral Survey Map 43, scale 1:2,400,000.
- 1986, Geology of Utah: Salt Lake City, University of Utah Museum of Natural History and Utah Geological and Mineral Survey, 280 p.
- Stuiver, Minze, and Kra, R., editors, 1986, Calibration issue--Proceedings of the 12th International Radiocarbon Conference, Trondheim, Norway, 1985: Radiocarbon, v. 28, 225 p.
- Stuiver, Minze, and Reimer, P.J., 1993, Extended  $^{14}\text{C}$  data base and revised CALIB 3.0  $^{14}\text{C}$  calibration program: Radiocarbon, v. 35, no. 1, p. 215-230.
- Stuiver, Minze, and Quay, P.D., 1979, Changes in atmospheric carbon-14 attributed to a variable sun: Science, v. 207, p. 11-19.
- Swan, F.H. III, Hanson, K.L., Schwartz, D.P., and Black, J.H., 1981, Study of earthquake recurrence intervals on the Wasatch fault at the Little Cottonwood Canyon site, Utah: U.S. Geological Survey Open-File Report 81-450, 30 p.
- Swan, F.H., III, Schwartz, D.P., and Cluff, L.S., 1980, Recurrence of moderate to large magnitude earthquakes produced by surface faulting on the Wasatch fault zone, Utah: Bulletin of the Seismological Society of America, v. 70, no. 5, p. 1431-1462.
- Wallace, R.E., 1977, Profiles and ages of young fault scarps, north-central Nevada: Geological Society of America Bulletin, v. 88, p. 1267-1281.
- Wells, D.L., and Coppersmith, K.J., 1994, New empirical relationships among magnitude, rupture length, rupture width, rupture area, and surface displacement: Bulletin of the Seismological Society of America, v. 84, no. 4, p. 974-1002.
- Williams, J.S., 1962, Lake Bonneville--Geology of southern Cache Valley, Utah: U.S.